


## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





INSECT PEST SURVEY

Bureau of Entomology, U. S. D. A.,  
and  
State Entomological Agencies cooperating.

-----  
Special Report No. 26  
-----

August 14, 1923.  
-----

COTTON LEAFWORM (Alabama argillacea Hubn.)

Reports received from the several State entomologists and from the Delta Laboratory of the Bureau of Entomology indicate that a repetition of the serious outbreak of this insect, which occurred in 1911, is about to take place. The insect is generally prevalent in extremely abnormal numbers throughout the greater part of the Gulf region and the Southwest. Reports have been received as far north as northern Arkansas and Georgia. Given favorable weather conditions, the adults will reach the northern states in time to inflict the usual damage occasioned by this pest to deciduous fruits.

INSECT PEST SURVEY

Bureau of Entomology, U. S. D. A.

and

State Entomological Agencies cooperating.

REPORT FROM (Alabama Agricultural Experiment Station)

Reports received from the several State entomologists and from

the Bureau of Entomology indicate that a report

of the occurrence of this insect, which occurred in 1911, in

Alabama. The insect is generally prevalent in extremely common

throughout the greater part of the Gulf region and the Southeast.

Reports received from the north as northern Arkansas and Oklahoma

and the western conditions, the adults will reach the

of the north and the west of the country by the

...